


# The Oxford Cast Iron Radiator

(custom built in all sizes from 3-30 sections)

Our cast iron radiators are built by hand, therefore lengths can vary.  
Measurements provided below are a guide only.



Radiator Style	No. Of Sections	Height (A) mm	Length (B) mm	Depth (C) mm	Watts $\Delta t$ 50 °C	BTU $\Delta t$ 50 °C
OXFO	4	470	349	230	426	1452
OXFO	5	470	428	230	532	1815
OXFO	6	470	507	230	638	2178
OXFO	7	470	586	230	745	2541
OXFO	8	470	665	230	851	2904
OXFO	9	470	744	230	958	3267
OXFO	10	470	823	230	1064	3630
OXFO	11	470	902	230	1170	3993
OXFO	12	470	981	230	1277	4356
OXFO	13	470	1060	230	1383	4719
OXFO	14	470	1139	230	1489	5082



OXFO	15	470	1218	230	1596	5445
OXFO	16	470	1297	230	1702	5808
OXFO	17	470	1376	230	1809	6171
OXFO	18	470	1455	230	1915	6534
OXFO	19	470	1534	230	2021	6897
OXFO	20	470	1613	230	2128	7260
OXFO	21	470	1692	230	2234	7623
OXFO	22	470	1771	230	2341	7986
OXFO	23	470	1850	230	2447	8349
OXFO	24	470	1929	230	2553	8712
OXFO	25	470	2008	230	2660	9075
OXFO	26	470	2087	230	2766	9438
OXFO	27	470	2166	230	2873	9801
OXFO	28	470	2245	230	2979	10164
OXFO	29	470	2324	230	3085	10527
OXFO	30	470	2403	230	3192	10890
Radiator Style	No. Of Sections	Height (A) mm	Length (B) mm	Depth (C) mm	Watts $\Delta t$ 50 °C	BTU $\Delta t$ 50 °C
OXFO	4	570	342	230	494	1684
OXFO	5	570	419	230	617	2105
OXFO	6	570	496	230	740	2526
OXFO	7	570	573	230	864	2947
OXFO	8	570	650	230	987	3368
OXFO	9	570	727	230	1110	3789
OXFO	10	570	805	230	1234	4210
OXFO	11	570	882	230	1357	4631
OXFO	12	570	959	230	1481	5052
OXFO	13	570	1036	230	1604	5473
OXFO	14	570	1113	230	1727	5894



OXFO	15	570	1190	230	1851	6315
OXFO	16	570	1267	230	1974	6736
OXFO	17	570	1345	230	2098	7157
OXFO	18	570	1422	230	2221	7578
OXFO	19	570	1499	230	2344	7999
OXFO	20	570	1576	230	2468	8420
OXFO	21	570	1653	230	2591	8841
OXFO	22	570	1730	230	2715	9262
OXFO	23	570	1807	230	2838	9683
OXFO	24	570	1885	230	2961	10104
OXFO	25	570	1962	230	3085	10525
OXFO	26	570	2039	230	3208	10946
OXFO	27	570	2116	230	3331	11367
OXFO	28	570	2193	230	3455	11788
OXFO	29	570	2270	230	3578	12209
OXFO	30	570	2348	230	3702	12630
Radiator Style	No. Of Sections	Height (A) mm	Length (B) mm	Depth (C) mm	Watts $\Delta t$ 50 °C	BTU $\Delta t$ 50 °C
OXFO	4	765	349	230	691	2356
OXFO	5	765	428	230	863	2945
OXFO	6	765	507	230	1036	3534
OXFO	7	765	586	230	1208	4123
OXFO	8	765	665	230	1381	4712
OXFO	9	765	744	230	1554	5301
OXFO	10	765	823	230	1726	5890
OXFO	11	765	902	230	1899	6479
OXFO	12	765	981	230	2072	7068
OXFO	13	765	1060	230	2244	7657
OXFO	14	765	1139	230	2417	8246



OXFO	15	765	1218	230	2589	8835
OXFO	16	765	1297	230	2762	9424
OXFO	17	765	1376	230	2935	10013
OXFO	18	765	1455	230	3107	10602
OXFO	19	765	1534	230	3280	11191
OXFO	20	765	1613	230	3453	11780