


Victoriana 3 Column Cast Iron Radiator

(custom built in all sizes from 3-30 sections)

Our cast iron radiators are built by hand, therefore lengths can vary.
Measurements provided below are a guide only.



Radiator Style	No. Of Sections	Height (A) mm	Length (B) mm	Depth (C) mm	Watts Δt 50 °C	BTU Δt 50 °C
VIC 450	4	450	278	120	321	1096
VIC 450	5	450	340	120	402	1370
VIC 450	6	450	401	120	482	1644
VIC 450	7	450	462	120	562	1918
VIC 450	8	450	523	120	642	2192
VIC 450	9	450	585	120	723	2466
VIC 450	10	450	646	120	803	2740
VIC 450	11	450	707	120	883	3014
VIC 450	12	450	769	120	964	3288
VIC 450	13	450	830	120	1044	3562
VIC 450	14	450	891	120	1124	3836
VIC 450	15	450	953	120	1205	4110



VIC 450	16	450	1014	120	1285	4384
VIC 450	17	450	1075	120	1365	4658
VIC 450	18	450	1136	120	1445	4932
VIC 450	19	450	1198	120	1526	5206
VIC 450	20	450	1259	120	1606	5480
VIC 450	21	450	1320	120	1686	5754
VIC 450	22	450	1382	120	1767	6028
VIC 450	23	450	1443	120	1847	6302
VIC 450	24	450	1504	120	1927	6576
VIC 450	25	450	1566	120	2008	6850
VIC 450	26	450	1627	120	2088	7124
VIC 450	27	450	1688	120	2168	7398
VIC 450	28	450	1749	120	2249	7672
VIC 450	29	450	1811	120	2329	7946
VIC 450	30	450	1872	120	2409	8220
Radiator Style	No. Of Sections	Height (A) mm	Length (B) mm	Depth (C) mm	Watts Δt 50 °C	BTU Δt 50 °C
VIC 645	4	645	277	120	428	1460
VIC 645	5	645	338	120	535	1825
VIC 645	6	645	398	120	642	2190
VIC 645	7	645	459	120	749	2555
VIC 645	8	645	520	120	856	2920
VIC 645	9	645	581	120	963	3285
VIC 645	10	645	642	120	1070	3650
VIC 645	11	645	703	120	1177	4015
VIC 645	12	645	764	120	1284	4380
VIC 645	13	645	825	120	1391	4745
VIC 645	14	645	886	120	1498	5110
VIC 645	15	645	947	120	1605	5475



VIC 645	16	645	1007	120	1712	5840
VIC 645	17	645	1068	120	1819	6205
VIC 645	18	645	1129	120	1926	6570
VIC 645	19	645	1190	120	2033	6935
VIC 645	20	645	1251	120	2140	7300
VIC 645	21	645	1312	120	2246	7665
VIC 645	22	645	1373	120	2353	8030
VIC 645	23	645	1434	120	2460	8395
VIC 645	24	645	1495	120	2567	8760
VIC 645	25	645	1556	120	2674	9125
VIC 645	26	645	1616	120	2781	9490
VIC 645	27	645	1677	120	2888	9855
VIC 645	28	645	1738	120	2995	10220
VIC 645	29	645	1799	120	3102	10585
VIC 645	30	645	1860	120	3209	10950
Radiator Style	No. Of Sections	Height (A) mm	Length (B) mm	Depth (C) mm	Watts Δt 50 °C	BTU Δt 50 °C
VIC 745	4	745	277	120	481	1640
VIC 745	5	745	339	120	601	2050
VIC 745	6	745	400	120	721	2460
VIC 745	7	745	461	120	841	2870
VIC 745	8	745	522	120	961	3280
VIC 745	9	745	583	120	1081	3690
VIC 745	10	745	644	120	1202	4100
VIC 745	11	745	705	120	1322	4510
VIC 745	12	745	766	120	1442	4920
VIC 745	13	745	827	120	1562	5330
VIC 745	14	745	888	120	1682	5740
VIC 745	15	745	950	120	1802	6150



VIC 745	16	745	1011	120	1923	6560
VIC 745	17	745	1072	120	2043	6970
VIC 745	18	745	1133	120	2163	7380
VIC 745	19	745	1194	120	2283	7790
VIC 745	20	745	1255	120	2403	8200
VIC 745	21	745	1316	120	2523	8610
VIC 745	22	745	1377	120	2644	9020
VIC 745	23	745	1438	120	2764	9430
VIC 745	24	745	1499	120	2884	9840
VIC 745	25	745	1561	120	3004	10250
VIC 745	26	745	1622	120	3124	10660
VIC 745	27	745	1683	120	3244	11070
VIC 745	28	745	1744	120	3365	11480
VIC 745	29	745	1805	120	3485	11890
VIC 745	30	745	1866	120	3605	12300