


# Victoriana 4 Column Cast Iron Radiator

(custom built in all sizes from 3-30 sections)

Our cast iron radiators are built by hand, therefore lengths can vary.  
Measurements provided below are a guide only.



Radiator Style	No. Of Sections	Height (A) mm	Length (B) mm	Depth (C) mm	Watts $\Delta t$ 50 °C	BTU $\Delta t$ 50 °C
VIC	4	460	278	143	264	900
VIC	5	460	339	143	330	1125
VIC	6	460	400	143	396	1350
VIC	7	460	461	143	462	1575
VIC	8	460	522	143	528	1800
VIC	9	460	583	143	593	2025
VIC	10	460	645	143	659	2250
VIC	11	460	706	143	725	2475
VIC	12	460	767	143	791	2700
VIC	13	460	828	143	857	2925
VIC	14	460	889	143	923	3150



VIC	15	460	950	143	989	3375
VIC	16	460	1011	143	1055	3600
VIC	17	460	1073	143	1121	3825
VIC	18	460	1134	143	1187	4050
VIC	19	460	1195	143	1253	4275
VIC	20	460	1256	143	1319	4500
VIC	21	460	1317	143	1385	4725
VIC	22	460	1378	143	1451	4950
VIC	23	460	1439	143	1517	5175
VIC	24	460	1501	143	1583	5400
VIC	25	460	1562	143	1649	5625
VIC	26	460	1623	143	1715	5850
VIC	27	460	1684	143	1780	6075
VIC	28	460	1745	143	1846	6300
VIC	29	460	1806	143	1912	6525
VIC	30	460	1868	143	1978	6750
Radiator Style	No. Of Sections	Height (A) mm	Length (B) mm	Depth (C) mm	Watts $\Delta t$ 50 °C	BTU $\Delta t$ 50 °C
VIC	4	660	278	143	399	1360
VIC	5	660	339	143	498	1700
VIC	6	660	400	143	598	2040
VIC	7	660	461	143	698	2380
VIC	8	660	522	143	797	2720
VIC	9	660	583	143	897	3060
VIC	10	660	645	143	996	3400
VIC	11	660	706	143	1096	3740
VIC	12	660	767	143	1196	4080
VIC	13	660	828	143	1295	4420
VIC	14	660	889	143	1395	4760



VIC	15	660	950	143	1495	5100
VIC	16	660	1011	143	1594	5440
VIC	17	660	1073	143	1694	5780
VIC	18	660	1134	143	1794	6120
VIC	19	660	1195	143	1893	6460
VIC	20	660	1256	143	1993	6800
VIC	21	660	1317	143	2093	7140
VIC	22	660	1378	143	2192	7480
VIC	23	660	1439	143	2292	7820
VIC	24	660	1501	143	2392	8160
VIC	25	660	1562	143	2491	8500
VIC	26	660	1623	143	2591	8840
VIC	27	660	1684	143	2691	9180
VIC	28	660	1745	143	2790	9520
VIC	29	660	1806	143	2890	9860
VIC	30	660	1868	143	2989	10200
Radiator Style	No. Of Sections	Height (A) mm	Length (B) mm	Depth (C) mm	Watts $\Delta t$ 50 °C	BTU $\Delta t$ 50 °C
VIC	4	760	278	143	498	1700
VIC	5	760	339	143	623	2125
VIC	6	760	400	143	747	2550
VIC	7	760	461	143	872	2975
VIC	8	760	522	143	996	3400
VIC	9	760	583	143	1121	3825
VIC	10	760	645	143	1246	4250
VIC	11	760	706	143	1370	4675
VIC	12	760	767	143	1495	5100
VIC	13	760	828	143	1619	5525
VIC	14	760	889	143	1744	5950



VIC	15	760	950	143	1868	6375
VIC	16	760	1011	143	1993	6800
VIC	17	760	1073	143	2118	7225
VIC	18	760	1134	143	2242	7650
VIC	19	760	1195	143	2367	8075
VIC	20	760	1256	143	2491	8500
VIC	21	760	1317	143	2616	8925
VIC	22	760	1378	143	2740	9350
VIC	23	760	1439	143	2865	9775
VIC	24	760	1501	143	2989	10200
VIC	25	760	1562	143	3114	10625
VIC	26	760	1623	143	3239	11050
VIC	27	760	1684	143	3363	11475
VIC	28	760	1745	143	3488	11900
VIC	29	760	1806	143	3612	12325
VIC	30	760	1868	143	3737	12750
Radiator Style	No. Of Sections	Height (A) mm	Length (B) mm	Depth (C) mm	Watts $\Delta t$ 50 °C	BTU $\Delta t$ 50 °C
VIC 813	4	813	270	160	528	1800
VIC 813	5	813	329	160	659	2250
VIC 813	6	813	388	160	791	2700
VIC 813	7	813	447	160	923	3150
VIC 813	8	813	506	160	1055	3600
VIC 813	9	813	565	160	1187	4050
VIC 813	10	813	625	160	1319	4500
VIC 813	11	813	684	160	1451	4950
VIC 813	12	813	743	160	1583	5400
VIC 813	13	813	802	160	1715	5850
VIC 813	14	813	861	160	1846	6300



VIC 813	15	813	920	160	1978	6750
VIC 813	16	813	979	160	2110	7200
VIC 813	17	813	1039	160	2242	7650
VIC 813	18	813	1098	160	2374	8100
VIC 813	19	813	1157	160	2506	8550
VIC 813	20	813	1216	160	2638	9000
VIC 813	21	813	1275	160	2770	9450
VIC 813	22	813	1334	160	2902	9900
VIC 813	23	813	1393	160	3033	10350
VIC 813	24	813	1453	160	3165	10800
VIC 813	25	813	1512	160	3297	11250
VIC 813	26	813	1571	160	3429	11700
VIC 813	27	813	1630	160	3561	12150
VIC 813	28	813	1689	160	3693	12600
VIC 813	29	813	1748	160	3825	13050
VIC 813	30	813	1808	160	3957	13500